



OVERALL WIDTH: 14.375"
1/2 OF FACE: 5.625"
L MEASUREMENT: 5.500"
WEB-TO-HUB EXTENSION R: 1.591"
FACE-TO-HUB EXTENSION L: 8.375"
FACE-TO-HUB EXTENSION R: 3.125"
APPROXIMATE WEIGHT (LBS.): 344
SMALL BORE DIAMETER: 4.375"

TOLERANCES:
WHEEL DIAMETER: +0.005"/-0.000"
BORE TAPER: +0.000"/-0.003"

APPROVED BY:			SIGNATURE:			DATE:	
D	F	O	H	B		S	T
WHEEL DIAMETER	FACE WIDTH	HUB OFFSET	HUB LENGTH	BORE DIAMETER	BORE TAPER IN/FT	KEYWAY WIDTH	KEYWAY DEPTH
23.000"	11.250"	8.750"	6.000"	5.000"	1.250"	1.250"	0.500"
UNLESS OTHERWISE SPECIFIED DRAWING TOLERANCES DIMENSIONS: ± 0.010 " FINISH: 250  EXCEPT FOR BORE AND OUTER FACE WHICH SHOULD BE 63 				BRAKE PRODUCTS, INC. 16751 HILLTOP PARK PLACE CHAGRIN FALLS, OH 44023 UNITED STATES OF AMERICA		Web: www.brakeproducts.com Email: sales@brakeproducts.com Phone: (440) 543-7962 Fax: (440) 543-7963	
DATE: Saturday, Oct 28 2017				PART # BE231005		MATERIAL SPECIFICATION: DUCTILE IRON ASTM A536-84 80-55-06	
DESCRIPTION: 23 INCH BORED & KEYED BRAKE WHEEL						SERIAL # 0	

BRAKE PRODUCTS, INC.
16751 HILLTOP PARK PLACE
CHAGRIN FALLS, OH 44023
UNITED STATES OF AMERICA

Web: www.brakeproducts.com
Email: sales@brakeproducts.com
Phone: (440) 543-7962
Fax: (440) 543-7963

HUB LENGTH BORE & KEYWAY FOR A 618 MILL MOTOR WITH THE STANDARD
AISE OFFSET
AISE STANDARD OFFSET OF 8.75 INCHES

DATE: Saturday, Oct 28 2017

PART # BE231005

MATERIAL SPECIFICATION:
DUCTILE IRON ASTM A536-84 80-55-06

DESCRIPTION: 23 INCH BORED & KEYED BRAKE WHEEL

SERIAL # 0